Record Group 104. Entry 28.

Melter and Refiner for Gold Assay Slip Cr

Digitized September 12, 2023, Philadelphia, Pennsylvania.
Box 1, Book 5, for 1880-86.

Note: Lightly printed and written text may be difficult to read in scanned version. Hidden words might be visible on the original pages. Larger (18+ inch) documents are scanned in multiple parts. Correspondence organization is presented as stored and is not always in chronological order.

RG 104 RECORDS OF THE BUREAU OF THE MINT

Records of the U.S. Mint at Philadelphia
Operating Records
Records of the Assays

ASSAY WORKBOOKS, 1795-1905

Box 1 NC-152 Entry 28

Dr. The Assayer in account with the Miller

1880							Ozs.	Std
Decr 1	To	46.33	Ozs.	Std			46	33
	"	1.53	"	Ingots	900		1	53
	"	.07	"	Fine	999			07
3	"	2.18	"	Ingots	900		2	18
	"	.43	"	Grs	—			40
8	"	31	"	Grain	—			27
"	"	06	"	Fine bars	999			06
"	"	2.88	"	Ingots	900		2	88
9	"	3.68	"	"	"		3	68
"	"	.34	"	Fine bars	999			37
"	"	47	"	Grains	—			44
15	"	1.42	"	Ingots	900		1	42
"	"	.28	"	Fine	999			31
"	"	38	"	Grains	—			34
"	"	1.41	"	Ingots	900		1	41
18	"	2.16	"	Fine	999		2	28
"	"	85	"	Grains	—			80
29	"	67	"	Fine	999			73
"	"	1.87	"	Ingots	900		1	87
31	"	30	"	Fine	999			33
"	"	23	"	Grains	—			21
"	"	85	"	Ingots	900			85
							68	76

& Refiner for Gold Assay Slips. — Cr.

1880		Ozs Std.
Jan. 1	By 68.76 Ozs. Std	68 76

Dr. The Assayer in account with the

1881						Sld.	
Jan. 1	To	68.76	Ozs.	Sld		68	76
" 11	"	.31	"	Grains	—		27
"	"	7.82	"	Ingots	900	7	82
"	"	.36	"	Fine	999		39
"	"	.50	"	Month. Def.	—		40
22	"	7.27	"	Ingots	900	7	27
"	"	.50	"	Fine	999		55
"	"	1.11	"	Grains	—	1	05
"	"	1.01	"	Fine	999	1	12
"	"	.84	"	Grain	—		82
"	"	4.58	"	Ingots	900	4	58
						93	03

Melter & Refiner for Gold Assay Slips.— Cr.

				Ozs	Std.
1881					
Jan 24	By	42.00 Ozs Std	Returned	42	00
Feb. 1	"	51.03 "	"	51	03
				93	03

Dr. The Assayer in account with the

1881						Ozs.	Sd
March 1	To	73.75	Ozs.	Std		73	75
8	"	8.37	"	Ingots	900	8	37
"	"	1.18	"	Grs.	—	1	10
"	"	.34	"	Fine	999		37
21	"	3.81	"	Ingots	900	3	81
"	"	90	"	Fine	999	1	00
"	"	95	"	Grains	—		90
"	"	20	"	Deposits.			17
30	"	8.42	"	Ingots	900	8	42
1	"	.30	"	Fine	999		32
"	"	1.36	"	Grains	~~800~~	1	20
"	"	5.32	"	Ingots		5	32
"	"	.11	"	Grains	—		09
"	"	.04	"	Fine	999		04
						104	86

Melter & Refiner for Gold Assay Slips. Cr.

		Oz	Sd.
1881 April 4	By 104.86 Ozs Std	104	86

Dr. The Assayer in account with the

1881						Ozs	Sd
April	To	104.86	Ozs	Sto		104	86
4	"	.03	"	Fine	999		03
"	"	3.67	"	Ingots	900	3	67
"	"	.36	"	Grains	800		32
11	"	.33	"	Fine	999		36
"	"	3.92	"	Ingots	900	3	92
"	"	.21	"	Grain	800		19
21	"	1.50	"	Ingots	900	1	50
"	"	.95	"	Fine	998	1	04
"	"	.25	"	Grains	—		22
26	"	5.12	"	Ingots	900	5	12
"	"	.34	"	Fine	998		36
30	"	4.54	"	Ingots	900	4	54
"	"	.24	"	Fine	998		26
"	"	.78	"	Grains	—		69
						127	08

Melter & Refiner for Gold Assay Slip. Cr.

1881						Ozs	Sd.
April 5	By	57.00	Fine	Gold, Cornelius	998	63	20
"	"	21.00	Sld	"	900	21	00
May 1	"	42.88	Ozs	Std.	on hand	42	88
						127	08

Dr. The Assayer in account with the

1881						Ozs	Sd
May 1	To	42.88	Ozs	Std.		42	88
5	"	4.09	"	Ingots	900	4	09
"	"	.97	"	Fine	998	1	06
"	"	.59	"	Grains	800		52
16	"	1.10	"	Ingots	900	1	10
"	"	.21	"	Fine	998		22
"	"	.53	"	Grains	—		47
23	"	5.78	"	Ingots	900	5	78
"	"	35	"	Fine	998		37
"	"	10	"	Grains	800		08
28	"	3.53	"	Ingots	900	3	53
"	"	.64	"	Fine	998		70
"	"	.57	"	Grains	800		50
31	"	3.85	"	Ingots	900	3	85
"	"	.40	"	Grains	—		46
"	"	32	"	Fine	998		35
						65	96

Melter & Refiner for Gold Assay Slips. &c.

1881					Ozs	Std.
May 25	By	17.00 Oz. Ingot	Returned	900	17	00
"	"	18.00 " Fine	"	998	19	96
June 1	"	29.00 " Std on hand			29	00
					65	96

Dr. The Assayer in account with the

1881							
June 1	To	29.00	Ozs	Std on hand		29	00
9	"	1.16	"	Fine bars	998	1	28
"	"	43	"	Ingots	900		43
"	"	.57	"	Grains	800		50
"	"	.12	"	Fine	998		13
17	"	44	"	Fine	"		48
"	"	2.61	"	Ingots	900	2	61
"	"	18	"	Grains	—		16
21	"	193	"	Ingots	900	1	93
"	"	.07	"	Fine	998		07
"	"	47	"	Grains	—		15
28	"	141	"	Fine	999		15
"	"	67	"	bars	—		67
		2.39	"	Std exas		2	39
						39	95

Melter & Refiner for Gold Assay Slips. Cr.

1881						Ozs	Sd.
June 22	By	8.35 Ozs.	Bar	@	763½	7	08
23	"	8.00 "	Ingot Slip		900	8	00
"	"	4.20 "	Bar	@	140		6S
"	"	2.00 "	Bar Slip-		998	2	22
	"		Returned to M & R.			17	9S
23							
"	"	13.00 "	(Solution) fine		1000	14	44
	"	5.00 "	Proof		"	S	S6
	"	2.00 "	"	Sd.	900	2	00
						39	9S

Dr. The Assayer in account with the

1881						Ozs	Sd.
July 1	To	13.00	Ozs.	Gold fine Solution		11	15
	"	5.00	"	Proof	1000	5	00
	"	2.00	"	"	900	2	00
						22	00
1-15	"	.45	"	Fine	998		49
30	"	1.43	"	"	998	1	58
"	"	.56	"	Fine J.	997		62
"	"	12	"	Grs.	—		10
						24	79

Melter & Refiner for Gold Assay Slips. Cr.

1881			Ozs	Sd.
Aug 1	By	24.79 Ozs Sd.	24	79

Dr. The Assayer in account with the

1881						Stand.	Oz.
~~Dec~~ Aug. 1	To.	24.79	Ozs.	Sd.		24.	79
1	"	.38	"	Grains			34
15	"	.37	"	Fine	999		39
18	"	5.02	"	Ingots	900	5	02
"	"	.09	"	Fine	998		09
"	"	.22	"	Grains	—		20
24	"	5.50	"	Ingots	900	5	50
"	"	.50	"	Fine	999		55
"	"	.37	"	Grains	—		33
25	"	.40	"	"	800		35
26	"	1.79	"	Ingots	900	1.	79
"	"	41	"	Fine	998		41
31	"	5.12	"	Ingots	900	5	12
"	"	.11	"	Fine	999		12
"		.57	"	Grains	—		53
						46	56

Melter & Refiner for Gold Assay Slips. Cr.

1881			Ozs. Sd.
September 1	By	£15.56 Ozs. Std	£15 56

Dr. The Assayer in account with the

1881						Std.	
Septr. 1	To.	45.56	Ozs.	Sd.		45	56
8	"	7.09	"	Ingots	900	7	09
"	"	.20	"	Fine	999		22
"		1.02	"	Grains	800		91
17		1.67	"	Ingots	900	1	67
"		70	"	Grain	800		62
30		17	"	Fine	999		18
"		15	"	Ingots	900		15
						56	40

Melter & Refiner for Gold Assay Slips. Cr.

1881 Oct. 1	By 56.40 Oz Std.	56	40

Dr. The Assayer in account with the Melter

1881								
Oct 1	To	56.40	Oz.	Std			56	40
10	"	7.49	"	Ingots	900		7	49
"	"	.86	"	Fine	998			94
"	"	.66	"	Grains	—			60
26	"	3.63	"	Ingots	900		3	63
"	"	.30	"	Fine	998			33
"	"	.93	"	"	"		1	02
"	"	.27	"	Grains	—			20
31	"	9.33	"	Ingots	900		9	33
"	"	.58	"	Fine	998			64
"	"	.17	"	Grains	800			68
							81	26

and Refiner for Gold Assay Slips. — Cr.

1881 Nov 1	By 81.26 Ozs Sld		81 26

Dr. The Assayer in account with the

1881							Ozs	Sd
Nov 1	To	81.26	Ozs	Sld			81	26
9	"	5.97	"	Ingots	900		5	97
"	"	.69	"	Fine	998			75
"	"	.72	"	Grs	800			64
25	"	5.73	"	Ingots	900		5	73
"	"	27	"	Grs &c	800			24
"	"	85	"	Fine	998			93
30	"	6.77	"	Ingots	900		6	77
"	"	.47	"	Fine	998			52
"		76	"	Grs				67
							103	418

Melter & Refiner for Gold Assay Slips. Cr.

1881						£	Sd.
Nov. 7	By	34.00 Ozs	Fine	@	998	37	70
"	"	23.00 "	Std		900	23	00
Dec 1	"	42.78 "	"			42	78
						103	48

The Mint of the United States,

AT

PHILADELPHIA, PENN.,

Assay Department, Nov 7, 1881.

Gold Bullion returned to
Melter & Refiner

34.00 Ozs. Fine @ 998 – 37.70 Std.

23.00 " Std per 23.00

60.70

Received

Jas C Booth

103.48
60 70

42.78

Dr. The Assayer in account with the

							Ozs	So
Dec 1	To	412.78	Ozs	Std on hand			412	78
17	"	2.78	"	Ingots	900		2	78
9	"	.34	"	Fine	998			34
4	"	.85	"	Grain	800			74
28	"	7.97	"	Ingots	900		7	97
30	"	1.67	"	Ingots	900		1	67
"	"	.49	"	Grain	800			43
"	"	.15	"	Fine	998			16
							5	690

Melter & Refiner for Gold Assay Slip. Cr.

1882			Ozs. Sd.
Jan 1	By	56.90 Ozs. Std.	56 90

Dr. The Assayer in account with the

1882							Std.
Jan. 1	To.	56.90	Ozs.	Std on hand			56 90
18	"	.57	"	Grs.	800		50
"	"	48	"	Fine	998		53
"	"	5.20	"	Ingots	900	5	20
"	"	.19	"	Deport	—		40
30	"	66	"	Grains	800		58
"	"	1.19	"	Fine	998	1	31
"	"	9.36	"	Ingots	900	9	36
	"	.03	"	Fine	998		03
	"	60	"	Ingots	900		60
							75 41

Melter & Refiner for Gold Assay Slip. Cr.

			Ozs. Sd.
1882			
Feb. 1	By	75.41 Ozs. Sd.	75 41

Dr. The Astayer in account with the

1882								Ozs	Sd.
February 1	To	75.41	Ozs.	Sd.	(on hand)			75	41
17	"	.89	"	Fine	"	998			98
1	"	.96	"	Grains		—			85
"	"	1.93	"	Ingots		900		1	93
23	"	6.87	"	Ingots		"		6	87
28	"	.43	"	Fine		998			47
"	"	.93	"	Grains		—			40
"	"	1.39	"	Ingots		900		1	39
								88	30

Melter & Refiner for Gold Assay Slip. Cr.

1882				
March 1	By	88.30 Ozs. Std	88	30

Dr. The Assayer in account with the

1882							Ozs	Sa.
March 1	To	88.30	Ozs	Std			88	30
3	"	1.93	"	Ingots	900		1	93
"	"	.17	"	Grains	—			14
"	"	26	"	Fine	998			28
16	"	52	"	Grains	—			46
"	"	49	"	Fine	998			53
"		6.03	"	Ingots	900		6	03
"		41	"	Grains	—			36
"		24	"	Fine	998			26
31		6.81	"	Ingo	900		6	81
"		64	"	Grs.	—			56
"		.18	"	Fine	998			19
							105	85

Melter & Refiner for Gold Assay Slip. Cr

1882						Std.
March 3	By	35.00 Ozs	Std	900		35 00
"	"	20.00 "	Cornets	998		22 17
April 1	"	48.68 "	Std (Ford			48 68
						105 85

Dr. The Assayer in account with the

1882							
April 1	To	48.68	Oz.	Std.		48.	68
5	"	3.27	"	Ingots	900	3	27
5	"	415	"	Fine	998		419
25	"	35	"	Grains	—		30
"	"	60	"	Fine	998		66
"	"	21	"	Grs.	—		18
29	"	7.75	"	Ingots	900	7	75
"		19	"	Fine	998		20
"		93	"	Grs.	—		82
						62	35

Melter & Refiner for Gold Assay Slip. Cr.

1882			Oz. Std.
May 1	By	62.35 Ozs. Std.	62 35

Dr. The Assayer in account with the

1882					Ozs.	Sd.
May 1	To	62.35 Ozs.	Sd.		62	35
6	"	2.12 "	Ingots	900	2	12
4	"	79 "	Grs.	—		71
"	"	17 "	Fine	998		18
17	"	16 "	Grs.	—		14
"		.95 "	Fine	—	1	05
24		4.04 "	Ingots	900	4	04
"		22 "	Grs	—		20
"		31 "	Fine	998		34
31		4.06 "	Ingots	900	4	06
"		72 "	Grs	—		64
					76	83

Melter & Refiner for Gold Assay Slip Co

1882				Sld.
June 1	By	75.83	Oz Sld.	75 83

Dr. The Assayer in account with the

1882						Std	
June 1	To	75.83 Ozs	Std			75	83
15	"	.19 "	Grs.	—			17
"	"	57 "	Fine	999			62
25	"	34 "	Grs	—			30
"	"	1.97 "	Fine	999		2	17
"	"	72 "	Ingots	900			72
"		23 "	T. bars	901			23
						80	04

Melter & Refiner for Gold Assay Slips. Cr.

					Std.
1882					
June 6	By	21.30 Ozs Bar	619	15	35
	"	25.00 " "	900	25	00
	"	23.00 " "	998	25	50
	"	91.90 " " (Silver)	22	2	24
	"	82.60 " " "	1		09
26	"	119.60 " Bar (Silver)	10	1	32
"	"	13.60 " " "	18		27
					6977

Dr. The Assayer in account with the

1882					Ozs	Sds.
July 1	To.	2.45 Ozs	Std.	on hand	2	45
	"	15.00 "	Fine	proof	16	66
					19	11
7	To.	.16 Ozs	Fine	998		17
31	"	83 "	Fine	998		92
					20	20

Melter & Refiner for Gold Assay Slip. Cr.

1882			Ozs Sd.
Aug 1	By 20.20 Oz Sld		20 20

Dr. The Assayer in account with the

1882						Ozs	Sd.
Aug 1	To	20.20	Ozs.	Std		20	20
15	"	.417	"	Fine	998		50
"	"	.73	"	Ingots	900		73
"	"	17	"	Grains	—		15
25	"	26	"	Fine	997		28
"	"	3	"	"	—		03
"	"	41.18	"	Ingots	900	41	18
"	"	.09	"	Grains	—		07
31	"	61	"	"	—		56
"		41	"	Fine	998		415
"		3.37	"	Ingots	900	3	37
						30	52

Melter & Refiner for Gold Assay Slip. Cr.

1882			Ozs	Sd.
Sept 1	By	30.52 Ozs Std	30	52

Dr. The Assayer in account with the

1882						Ozs	Sd.
Septr 1	To.	30.52	Oz.	Sld		30	52
25	"	.77	"	Ingots	900		77
"	"	.61	"	Grs —	—		56
"	"	.12	"	Ingots	900		12
"	"	80	"	Fine	998		87
29	"	2.56	"	Ingots	900	2	56
29	"	10	"	Grs	—		08
						35	48

Melter & Refiner for Gold Assay Slips. — Cr.

			Ozs Sd.
1882			
October 1	By	35.48 Ozs. Std	35 48

Dr. The Assayer in account with the

1882					Ozs	Sd.
October 1	To	35.48	Ozs.	Std	35	48
18	"	1.86	"	Fine	2	05
"	"	.19	"	"		20
"	"	.18	"	Grs.		17
31	"	.25	"	Fine		27
"	"	2.21	"	Ingots	2	21
"	"	.36	"	Grs.		34
					40	72

Melter & Refiner for Gold Assay Slips. — Cr.

1882 Nov,	By 40.72 Ozs Sld	Ozs. Sld. 40 72	

Dr. The Assayer in account with the

1882							Ozs	Sd
Nov 1	To	40.72	Ozs.	Std.			40	72
11	"	40	"	Fine				38
"	"	12	"	Grs.				10
"	"	92	"	Ingots.	900			92
25	"	84	"	Fine	998			92
"	"	06	"	Grs.				05
"	"	09	"	Ingot	900			09
29	"	86	"	Fine	998			94
"	"							
							44	12

Melter & Refiner for Gold Assay Slips. Cr.

		Ozs	Sd.
1882 Dec	By 44.12 Oz. Sld	44	12

Dr. The Assayer in account with the

1882								
Dec 1	To	44.12	Ozs	Std			44	12
9	"	.28	"	Fine	998			25
30	"	.08	"	Grains				06
"	"	.72	"	Fine	998			79
"	"	1.29	"	Ingots	900		1	29
"	"	10	"	Grains	—			08
							46	59

Melter & Refiner for Gold Assay Slip. — Cr.

1883			Ozs Std.
Jan 1	By	46.59	46.59

Dr. The Assayer in account with the

1883				Ozs	Sd
Jan. 1	To	46.59	Oz. Sld	46	59
10	"	.36	" Fine Bars		36
"	"	.33	" Grs.		27
22	"	1.19	" Fine	1	31
31	"	.12	" Grs		10
		2.85	" Fine	3	15
				5	178

Melter & Refiner for Gold Assay Slip. Cr.

1883		Ozs Sd.
Feby 1	By 51.78 Ozs. Sld.	51.78

Dr. The Assayer in account with the

1883					Ozs.	Sd.
Feby. 1	To	51.78	Ozs.	Sld	51	78
13	"	1.79	"	Fine	1	96
28	"	.11	"	Grs		08
"	"	1.74	"	Fine	1	92
					55	74

Melter & Refiner for Gold Assay – Slip. Cr.

1883			Ozs Sd.
March 1	By 55.74 Ozs. Sld		55.74

Dr. The Assayer in account with the Melter

1883					Std.	Grs.
March 1	To	55.74	Ozs.	Std.	55	74
17	"	.48	"	Fine		48
"	"	.11	"	Grs		08
30	"	2.27	"	Fine (Bars &c)	2	50
"	"	.46	"	Std. bars		46
"		.14	"	Grs.		12
					59	38

and Refiner for Gold Assay Slips. &c.

1883			
April 1	By 59.38 Ozs. Std.		Stand. 59 38

Dr. The Assayer in account with the

1883					Ozs.	Sd.
April 1	To.	59.38	Ozs.	Stand. fd.	59	38
18	"	45	"	Fine.		49
27	"	1.60	"	Ingots	1	60
"		.15	"	Grs.		12
"		1.78	"	Fine	1	96
					63	55

Melter & Refiner for Gold Assay Slips. Cr.

1883					
May 1	By. 20.0 Zs.	Fine Returned	998	22	17
	" 41.38 "	Std.		41	38
				63	55

The Mint of the United States at Philadelphia, Penn.,

ASSAY DEPARTMENT,

April 11th, 1883.

20.00 Ozs. Fine Gold Returned
to Melter & Refiner

20.00 Ozs @ 998 Ozs Sd 22.17

N R Boyd
asst M & R

Dr. The Assayer in account with the

1883						Standard Ozs.	
May 1	To	41.38	Ozs	Std.		41	38
8	"	.38	"	Fine	999		41
"	"	.17	"	Bar	—		16
"	"	.16	"	Grs.	—		14
"	"	15	"	"	—		13
22	"	65	"	Bar	999		72
29	"	06	"	"	"		06
"	"	30	"	"	998		33
"	"	15	"	Grs	—		13
						43	46

Melter & Refiner for Gold Assay Slips. Cr.

		Ozs	Sd.
1883 June 1	By 43.46 Ozs Std.	43	46

Dr. The Assayer in account with the

1883						Ozs	Sd.
June 1	To.	43.46	Ozs.	Sld.		43	16
14	"	.51	"	Fine Gold	999		56
"	"	.15	"	Grs.	—		12
27	"	.80	"	Fine	999		87
"	"	21	"	Grs	—		17
		3.94	"	Stand Exces		45	18
						3	94
						49	12

Melter & Refiner for Gold Assay Slips. Cr.

1883						Oz	Sd.
~~June~~ 15	By	13.40 Ozs. bar @		149		2	21
	"	3.45 "	"	247			94
"	"	288.60 "	Silver bar	.002			64
16	"	87.65 "	"	"	011		1 07
26	"	15.00 "	Fine Cornet Slip		998	16	63
"	"	11.00 "	Stand	"	900	11	00
30	"	6.15 "	Proof Gold		1000	6	83
"	"	1.40	"	"	900	1	40
"	"	10.00 "	Bar		756	8	40
						49	12

Dr The Assayer in account with the

1883						Ozs	Sd.
July 1	To	6.15	Oz	Proof	1000	6	83
	"	1.40	"	"	900	1	40
30	"	68	"	Fine			74
						8	97

July 10 - 6.00 Oz Cornets Returned to Assayer, @ 998.- See Jan 1884

Melter & Refiner for Gold Assay Slip Co.

			Ozs	Sd.
1883 Aug 1	By	8.97 Ozs Sld	8	97

Dr. The Assayer in account with the

1883					Ozs	Sd
August 1	To	8.97	Ozs	Std.	8	97
16	"	.73	"	Fine		80
26	"	20	"	Grs.		18
31		77	"	Fine		84
"		22	"	Std		22
					11	01

Melter & Refiner for Gold Assay Slips. Cr.

1883			Ozs Sd
Sept 1	By 11.01 Ozs Sld		11 01

Dr The Assayer in account with the

1883					Ozs	Sd.
Sept. 1	To.	11.01	Ozs	Std	11	01
15	"	1.17	"	Fine	1	28
"	"	.12	"	Grs		10
28	"	1.00	"	Fine	1	10
"	"	.09	"	Grains		08
					13	57

Melter & Refiner for Gold Assay Slip. Cr.

			Ozs Sd.
1883 Oct 1	By	13.57 Ozs. Std.	13 57

Dr. The Assayer in account with the

1883					Ozs	Sd
Oct	1	To	13.57 Ozs.	Std	13	57
	12	"	1.35 "	Fine	1	48
	31	"	1.03 "	"	1	13
	"	"	1.19 "	Ingots	1	19
	"	"	.19 "	Grs		17
					17	54

Melter & Refiner for Gold Assay Slips. Cr.

1883			Ozs. Sd
Nov 1	By	17.54 Ozs. Sld	17.54

Dr. The Assayer in account with the

1883					Ozs	Sd.
Nov 1	To	17.54	Ozs.	Sld.	17	54
	"	1.30	"	Fine	1	40
	"	38	"	Grains		36
30	"	16	"	Sld		16
					19	46

Melter & Refiner for Gold Assay Slip. Cr.

1883 Dec 1	By 19.46 Ozs. Std.	Ozs Std. 19.46

Dr. The Assayer in account with the

1883					Ozs	$d.
Dec 1	To	19.46	Oz	Stand	19	46
26	"	2.07	"	Fine Gold	2	28
"	"	.11	.	Grains		10
					21	84

Melter & Refiner for Gold Assay Slip Cr.

1883 Jan 1	By 21.84 Ozs Sland	Ozs Sd. 21 84

Dr. The Assayer in account with the Mellen

1884					Ozs	Sd.
January 1	To	21.84	Oz	Std.	21	84
	"	6.00	"	Cornets from M & R. July 10	6	65
15	"	.35	"	Fine		38
31	"	17	"	"		18
"	"	11	"	Cts		10
"	"	45	"	Fine		49
					29	64

and Refiner for Gold Assay Slip. Cr.

1884 Feb 1	By 29.64 Ozs. Std	29	64

Dr. The Assayer in account with the

1884			Oz.	Sd.
Feb: 1	To	29.64 Ozs. Std	29	64
29	"	.66 " Fine		72
"		24 " Fine ingot		26
"		06 " Grs.		05
"		11 " "		10
"		16 " Fine		17
			30	94

Melter & Refiner for Gold Assay Slips. Cr.

1884			Oz Sd.
March 1	By	30.94 Ozs Sd.	30 94

Dr The Assayer in account with the

1884				Ozs.	Sts.
March 1	To 30.94 Ozs. Sd.			30	94
27	" .25 .	Fine			27
"	" .28 .	Grs			26
4	" .11 .	Fine ingot			12
5	" .53 .	Fine			58
				32	17

Melter & Refiner for Gold Assay Slips Cr.

1884		Oz	Sd.
Apr 1	By 32.17 Ozs Sld.	32	17

Dr. The Assayer in account with the

1884					Oz	Sd.
April 1	To	32.17	Ozs.	Sd.	32	17
30	"	.24	"	Fine		26
"	"	.41	"	Grs		36
"	"	.50	"	Fine		54
"	"	1.53	"	Ingots	1	53
		.75	"	Fine		81
					35	67

Melter & Refiner for Gold Assay Slips. Cr.

		Oz	Sd.
1884			
May 1	By 35.67 Ozs Std.	35	67

Dr. The Assayer in account with the

1884.					Oz.	Sd.
May 1	To	35.67	Ozs	Std.	35	67
29	"	1.98	"	Fine	2	18
"	"	.84	"	Grs.		78
"		5.21	"	Ingots	5	21
"		.48	"	Fine		51
					44	35

Meller & Refiner for Gold Assay Slip. Cr.

			Oz Sd.
1884			
June 1	By	44.35 Oz. Sd	44 35

Dr. The Assayer in account with the

1884				Oz	Sd
June 1	To.	HH. 35 Ozs Sd		HH	35
" 27	"	.84 .	Fine		93
" "	"	77 .	Grs		70
"		1.99 .	Ingots	1	99
"		.93 .	"		93
		2.77 .	Stand Exam	2	77
				51	67

Melter & Refiner for Gold Assay Slip. Co.

1884						
June 12	By	61.85 Ozs.	Bars @ 99 Returned		6	17
	"	34.48 "	" 244 "		9	34
	"	10.70 "	735		8	73
25	"	5.50 "	Std Gold "		5	50
	"	6.00 "	Fine 998 "		6	65
4	"	9.25 "	Fine proof	1000	10	28
"	"	5.00 "	Std. "	900	5	00
					51	67

Dr. The Assayer in account with the

1884						Oz.	Sd
July 1	To	9.25 Oz.	Fine proof		1000	10	28
	"	5.00 "	Std	"	900	5	00
29	"	55 "	Fine		998		60
						15	88

Melter & Refiner for Gold Assay Slip. Cr.

1884			Ozs Std
Aug 1	By	15.88 Ozs. Std	15 88

Dr. The Assayer in account with the

1884						Oz.	Sd.
August	1	To	15.88	Ozs.	Std	15	88
	6	"	.22	"	Fine 997		24
	"	"	10	"	Grs. —		08
	27	"	.52	"	Fine 998		56
	"	"	18	"	998		19
	4	"	17	"	Grs —		15
						17	10

Melter & Refiner for Gold Assay Slip. &c.

1884			Ozs	Sd
Sep. 1	By	17.10 Ozs. Std	17	10

12 Cas
Eq^l
#66
Nr 30

1 - 9 lead
Potter 4.60

133 NO_3 - 15 - 19.95
118 HCl. 14. 16.52
36.47

Nr. 30

Dr. The Assayer in account with the

1884						Ozs	Sd.
September	1	To	17.10	Ozs	Std.	17	10
	22	"	.55	"	Fine 998		60
	30		67	"	"		73
						18	43

Melter & Refiner for Gold Assay Slip. Co.

1884			Ozs Sd
October 1	By	18.43 Ozs Std	18 43

The Mint of the United States

AT

PHILADELPHIA, PENN.,

Assay Department, ..., *188* .



35 9

36.39

The Mint of the United States

AT

PHILADELPHIA, PENN.,

Assay Department, June 6, 1884.

Silver bullion returned to
Melter & Refiner

				Oz. Sd.
2 4 5	290.00	Oz.	999	321.90
1	113.00	"	995	124.92
3	138.90	"	992½	153.17
6	81.35	"	989	89.39
7	65.20	"	988	71.57
8	58.85	"	994½	65.02
	747.30			825.97

Rec'd June 6th of Returned Bil.
not charged to Assayer
N. B. Boyd
Asst Melter & R

Dr. The Assayer in account with the

1884						Ozs	Sd
October	1	To.	18.43	Ozs. Std		18	43
	17	"	.52	" Fine	998		57
	"	"	10	" Grs.	—		08
	31	"	25	" "	—		22
	"	"	65	" Fine	998		70
						20	00

Melter & Refiner for Gold Assay Slips. &c.

			Oz. Sd
1884 November 1	By	20.00 Ozs. Std.	20 00

Dr. The Assayer in account with the

1884						Ozs	Sd
November	1	To	20.00 Ozs.	Std		20	00
	17	"	.22 "	Fine	998		24
	28	"	41 "	"	998		45
	"	"	15 "	"	"		16
	"	"	09 "	Ingot	900		09
						20	94

Melter & Refiner for Gold Assay Slip. Co.

1884		Ozs.	Cts.
Dec 1	By 20.94 Ozs. Fld. –	20	94

Dr. The Assayer in account with the

1884							Ozs.	Sd
December	1	To	20.94	Ozs.	Std.		29	94
	9	"	.57	"	Fine	999		62
	16	"	.58	"	"	"		63
	"		45	"	Grs	—		40
	30		.10	"	Fine	999		11
							22	70

Melter & Refiner for Gold Assay Slips. Cr.

1885 January 1	By 22.70 Ozs. Std		Ozs Sd 22 70

Dr. The Assayer in account with the

1885						Ozs	Sd.
January 1	To	22.70	Ozs	Std.		22	70
17	"	.19	"	Fine	999		20
17	"	.04	"	Ingot	900		04
20	"	19	"	Fine	999		20
"	"	12	"	Ingot	900		12
30	"	42	"	Fine	999		46
						23	12

Melter & Refiner for Gold Assay Slips. Cr.

1885		Ozs	Sd
February 1	By 23.72 Ozs Sd. on hand	23	72

Dr. The Assayer in account with the

1885							Ozs.	Sd
February 1	To	23.72	Ozs.	Std			23	72
4	"	.80	"	Fine				88
"	"	16	"	Grs				14
10	"	42	"	Fine				46
"	"	12	"	Ingot	900			12
"	"	09	"	Grs				07
28		17	"	Fine				18
"		2.65	"	Ingots			2	65
							28	22

Melter & Refiner for Gold Assay Slip. Co.

1885			Oz. Sd
March 1	By	28.22 Ozs Sld	28 22

Dr. The Assayer in account with the

1885						Ozs	Sd
March 1	To	28.22	Ozs	Std		28	22
5	"	59	"	Fine			64
	"	05	"	Grs			04
17	"	83	"	Fine			90
20	"	.39	"	"			42
28	"	.20	"	Grs			18
"	"	.55	"	Fine			60
"	"	1.39	"	Ingots	900	1	39
30	"	24	"	Fine			26
						32	65

Melter & Refiner for Gold Assay Slip. Er.

1885			Oz.	Sd
Apr 1	By	32.65 Ozs Sd.	32	65

Dr. The Assayer in account with the

1885						Oz.	Sd.
April 1	To	32.65	Ozs.	Scl.		32	65
10	"	.69	"	Fine	998		76
"	"	.49	"	Grs.	—		45
"	"	1.29	"	Ingots	900	1	29
20	"	1.16	"	Fine	998	1	27
"	"	.13	"	Grains	—		12
30	"	.18	"	Fine	998		52
"	"	.07	"	Grain	—		06
						37	12

Melter & Refiner for Gold Assay Slip. Cr.

			Oz Sd
1885			
May 1	By	37.12 Ozs. Sd.	37 12

Dr. The Assayer in account with the

					Oz	Sd
1885						
May 1	To	37. 12	Ozs	Sd.	37	12
	"	50	.	Fine		50
		97	.	Ingots		97
28		25	.	Fine		27
					38	91

Melter & Refiner for Gold Assay Slip. Cr.

				Oz Sd.
1885				
June 1	By	38.91	Ozs Sd	38 91

Dr. The Assayer in account with the

1885						Ozs	Std.
June	1	To	38.91	Ozs. Sd.		38	91
		"	37	"	Grains		36
		"	25	"	Ingots fine		25
		"	36	"	Fine		39
	13	"	33	"	bars	1930	35
	16	"	09	"	Grains		08
	19	"	40	"	bars	998	43
	"	"	19	"	fine	999	20
	24	"	27	"	Grs	—	26
						41	24
				Excep		3	12
						44	36

Melter & Refiner for Gold Assay Slip. Co

1885					Oz.	Std
June 27	By	8.75 Oz bar @	296	returned	2	87
"		13.90 "	129	"	1	99
"		4.40 "	109			53
"		16.05 "	713½		12	72
"		18.00 "	1000	Proofs	20	00
		2.50 "	900	Sd Ref.	2	50
		3.75 "	Std 900		3	75
					44	36

Dr. The Assayer in account with the

1885					Oz	Sd.
July 1	To	18.00 Ozs.	Fine Gold	1000	20	00
	"	2.50 "	Std. Pf.	900	2	50
			From M. & R.		22	50
22	To 59.	Fine bars				59
27	" 13	"	"	999		14
	" 39	"	"	"		42
30	" 12	Grains		—		11
					23	76

Melter & Refiners for Gold Assay Slip. Cr.

1885 Pag. 1	By	23.76 Ozs. Std.	Oz. Sd. 23 76

Dr. The Assayer in account with the

1885						Or. Sd	
Aug. 1	To.	23.76	Ozs. Sld			23	76
22	"	.17	"	Fine	999		18
25	"	.12	"	"	"		13
27	"	1.01	"	"			109
						25	16

Melter & Refiner for Gold Assay Slips. Cr.

				Oz Sd.
1885				
Sept-1	By	25.16 Oz. Sld.		25-16

Dr. The Assayer in account with the

1885					Oz	Sd.
Sept. 1	To	25.16	Ozs.	Sld.	25	16
2	"	.27	"	Fine		29
"	"	.14	"	Gss		13
23	"	.23	"	Fine		25
30	"	.37	"	Fine		39
					26	22

Melter & Refiner for Gold Assay Slip. Cr.

			Oz. Sd.
1885			
Oct. 1	By	26.22 Oz. Sld.	26 22

Dr. The Assayer in account with the

1885						Oz.	Sd.
Oct. 1	To	26.22	Oz	Std		26	22
2	"	31	"	Fine	998		32
5	"	17	"	Grs	—		16
8	"	.74	"	Fine	999		78
14	"	1.17	"	Ingots	900	1	17
17	"	14	"	Grs.	—		13
22	"	29	"	Fine	998		31
24	"	1.24	"	Ingots	900	1	24
26	"	25	"	Fine	997		27
29.		20	"	Grs	—		18
						30	78

Melter & Refiner for Gold Assay Slip. Cr.

1885			Oz	Sd.
Nov 1	By	30.78 Ozs. Std.	30	78

Dr. The Assayer in account with the

1885			Oz.	Sd
Nov. 1	To	30.78 Ozs. Std.	30	78
6	"	38 " Fine		41
10	"	24 " "		26
13	"	23 " "		25
			31	70

Melter & Refiner for Gold Assay Slip. Cr.

1885 Dec 1	By	31.70 Ozs. Std	Oz Sd. 31 70

Dr. The Assayer in account with the

1885						Oz.	Sd
Decr. 1	To	31.70	Ozs	Sd.		31	70
2	"	1.57	"	Ingot	900	1	57
	"	.70	"	Fine	998		78
	"	63	"	Grs.	—		60
	"	2.25	"	Ingot	900	2	25
	"	1.20	"	Fine	999	1	32
17	"	50	"	"	"		55
21	"	3.21	"	Ingot	900	3	21
23	"	33	"	Grs.	—		30
"	"	27	"	Ingot	900		27
24	"	88	"	"	"		88
"	"	20	"	Fine	999		21
29	"	86	"	Ingots	900		86
30	"	08	"	Fine	998		08
31	"	19	"	Grs	—		19
						44	77

Melter & Refiner for Gold Assay Slip. Gr.

1886 January 1	By 44.77 Ozs. Std.	Oz. Sd. 44 77

Dr. The Assayer in account with the

1886						Ozs.	Sd.
January 1	To	44.77	Ozs.	Std.		44	77
5	"	.54	"	Grs.	—		54
15	"	.43	"	Fine	999		47
20	"	.09	"	Grs.	—		09
23	"	.10	"	Fine	999		11
26	"	1.36	"	Ingot	900	1	36
30	"	.20	"	Grs.	—		20
						47	54

Melter & Refiner for Gold Assay Slip. Cr.

1886			Oz. Sd
Feby. 1	By	47.54 Ozs. Std.	47 54

Dr. The Assayer in account with the

1886						Oz.	Sd.
Feby. 1	To	47.54	Ozs.	Std.		47	54
9	"	.22	"	Fine	999		23
10	"	10	"	Grs.	—		10
"	"	41	"	Fine.	999		44
19	"	13	"	Grs.	—		12
"	"	1.34	"	Ingots.	900	1	34
"	"	1.05	"	Fine	999	1	15
25	"	.12	"	Grs. —	—		11
"	"	12	"	Fine	999		13
						51	16

Melter & Refiner for Gold Assay Slip. Ors.

		Oz.	Sd
1846			
March 1	By 51.16 Ozs. Sd.	51	16

Dr. The Assayer in account with the

1886						Oz.	Sd.
March 1	To.	51.16	Oz.	Sd.		51	16
12	"	25	"	Fine	999		27
"	"	37	"	"	"		40
18	"	1.40	"	Ingts	900	1	40
22	"	37	"	Grs.	—		37
26	"	35	"	Fine	999		38
"	"	.84	"	Ingot	900		84
31	"	43	"	Fine	999		47
	"	05	"	Grs	—		04
						55	33

Melter & Refiner for Gold Assay Slip. Or.

1886			
April 1	To	55.33 Ozs. Sd.	Oz Sd
			55 33

Dr. The Assayer in account with the

1886						Oz	Sd.
April 1	To	55.30	Ozs.	Sd		55	30
1	"	1.07	"	Ingots	900	1	07
2	"	28	"	Fine	999		30
6	"	17	"	Grs	—		15
"	"	21	"	Fine	999		26
7	"	12	"	"	999		13
"	"	08	"	Grs	—		07
12	"	91	"	Ingots	900		91
19	"	09	"	Grs.	—		08
						58	27

Melter & Refiner for Gold Assay Slip. Cr.

			Std. Oz
1886 May 1	By	58.27 Ozs. Std.	58 27

Dr. The Assayer in account with the

1880							Ozs	Std.
Dec 1	To	191.54	Ozs	Std			191	54
19	"	72.80	"	Ingots	900		72	80
"	"	.50	"	Grains	—			50
"	"	20	"	Fine	999			21
29	"	410.20	"	Ingots	900		410	20
"	"	.84	"	Grains	—			84
"	"	.69	"	Fine	999			69
"	"	95	"	Ingots	900			95
							307	69

Melter & Refiner for Silver Assay Slip. Cr

			Ozs	Std
1881				
Jan 1	By	307.69 Ozs Std on hand	307	69

Dr. The Assayer in account with the

1881						Ozs	Std
Jan 1	To	307.69	Ozs	Std		307	69
21	"	49.00	"	Ingots	900	49	00
"	"	.67	"	Fine	999		74
"	"	.86	"	Grains	—		86
31	"	62.40	"	Ingots	900	62	40
"	"	.29	"	Grains	—		29
"	"	.87	"	Fine	999		96
						421	94

Melter & Refiner for Silver Assay Slips. Cr.

			Ozs	Sto.
1881				
February 1	By	421.94 Ozs. Sto	421	94

Dr. The Assayer in account with the

1881							Ozs	Sd.
Feb. 1	To	421.94	Ozs	Std			421	94
19	"	80.40	"	Ingots	900		80	40
"	"	2.65	"	Fine	999		2	93
"	"	.20	"	Grain				20
28	"	.28	"	"	—			28
"	"	9.90	"	Ingots	900		9	90
"	"	.30	"	Std	"			30
"	"	1.80	"	Fine	999		1	98
							517	93

Melter & Refiner for Silver Assay Slips. Cr.

1881			Ozs Sd
March 1	By	517.93 Ozs Std	517 93

Dr. The Assayer in account with the

1881							
March 1	To	517.93	Ozs	Std		517	93
17	"	81.90	"	Ingots	900	81	90
"	"	1.92	"	Fine	999	2	12
"	"	.16	"	Grains	—		16
26	"	22.50	"	Ingots	900	22	50
"	"	.71	"	Grains	—		71
"	"	1.12	"	Fine		1	24
						626	56

Melter & Refiner for Silver Assay Slips. Cr.

1881			Ozs Std.
April 1	By 626.56 Ozs Std		626 56

Dr. The Assayer in account with the

1881							Ozs	Std.
April 1	To	626.56	Ozs.	Std			626	56
19	"	88.20	"	Std Ingots.	900		88	20
"	"	.62	"	Grains	—			62
29	"	9.00	"	Ingots	900		9	00
"	"	3.16	"	Fine	999		3	50
"	"	67	"	Grains				67
							728	55

Melter & Refiner for Silver Assay Slips. Cr.

1881		Ozs	Std.
May 1	By 728.55 Ozs Std	728	55

The Mint of the United States at Philadelphia, Penn.,

ASSAY DEPARTMENT,

June 26, 1883.

Gold Bullion returned to
Melter & Refiner

			Std. Ozs
15.00 Ozs. Fine Slips &c		998	16.63
11.00	Slano "	900	11.00
			27.63

Receipt
N B Boyd
Asst Mint

Melter & Refiner for Silver Assay Slips. Cr.

1881						Ozs	Std
June 1	By	516.	50	Ozs	Std	returned	516 50
	"	307.	26	"	"	on hand	307 26
							823 76

Dr. The Assayer in account with the

1881						Ozs	Std
June 1	To	307.26	Ozs	Std.		307	26
7	"	34.20	"	" Ingots	900	34	20
"	"	.50	"	Fine	999		55
"	"	12.60	"	Ingots	900	12	60
"	"	.42	"	Grains	—		42
13	"	27.90	"	Ingots	900	27	90
"	"	.42	"	"	"		42
"	"	26	"	Grains	"		26
15	"	27.60	"	Ingots	900	27	60
"	"	.30	"	Fine	999		33
"	"	.20	"	Grains	—		20
29	"	5.40	"	Ingots	900	5	40
"	"	89	"	Fine	999		98
"	"	.26	"	Grains	—		26
"	"	39	"	"	"		39
"	"	08	"	"	—		08
		289.83	"	Std excess.		289	83
						708	68

Melter & Refiner for Silver Assay Slips. — Cr.

1881						Ozs	Sd.
June 16	By	371.00 Ozs	Returned	@	918½	3.78	62
21	"	175.85 "	"		992½	1.93	92
"	"	62.85 "	"		995	69	48
23	"	60.00 "	Proof —		retained	66	66
						708	68

Dr. The Assayer in account with the

1881					Ozs	Gd.
July 1	To 60.00	Ozs	On hand		66	66
18	" 21.40	"	Ingots	900	21	410
"	" .32	"	Fine	999		34
21	" 43.20	"	Ingots	900	43	20
"	" 1.05	"	Std	900	1	05
"	" 34	"	Fine	999		36
25	" 39.60	"	Ingots	900	39	60
"	" .30	"	Fine	999		32
"	" 35	"	Grs.			35
30	" 68.40	"	Ingots	900	68	40
"	" 95	"	Fine	—	1	04
"	" .05	"	"	999		05
"	" .45	"	Grs	—		45
					243	22

Melter & Refiner for Silver Assay Slip. Co.

1881 Aug	By 243.22 Ozs Std	Ozs Std.	
		243.22	

Dr. The Assayer in account with the

1881						Ozs	Sd.
Aug. 1	To	243.22	Ozs	Std		243	22
5	"	61.20	"	Ingots	900	61	10
5	"	1.41	"	Fine	999	1	56
"	"	.25	"	Grs	—		24
9	"	20.12	"	Ingots	900	20	12
"	"	.05	"	Fine	999		05
"	"	.19	"	Grs.	—		19
"	"	26	"	Ingot	900		26
15	"	27.00	"	"	"	27	00
"	"	.09	"	Fine	999		09
"	"	.35	"	Grs	—		35
30	"	79	"	Fine	999		86
"	"	.19	"	Grs.	—		19
						355	53

Meller & Refiner for Silver Assay Slips Cr.

1881			Ozs Std.
Sep 1	By 355.53 Ozs. Std.		355.53

Dr. The Assayer in account with the

1881						Ozs	Sd
Sep 1	To	355.53	Ozs	Sd.		355	53
	"	64	"	Grains	—		64
	"	30	"	"	—		30
	"	47	"	Fine			50
15	"	62.70	"	Ingots	900	62	70
28	"	.54	"	Grains	—		54
"	"	.19	"	Fine	999		20
"	"	97.20	"	Ingots	900	97	20
30	"	18.00	"	Ingots	—	18	00
"	"	.180	"	Fine	999		88
						536	49

Melter & Refiner for Silver Assay Slip. Co.

1881			Ozs	Sd.
Oct 1	By	536.49 Ozs Std	536	49

Dr. The Assayer in account with the

1881						Ozs.	Sd.
Oct. 11	To	536.49	Ozs.	Sd.		536	49
12	"	1.03	"	Grains		1	03
"	"	82	"	Fine	999		90
"		46.20	"	Ingots.	900	46	20
20		.41	"	Fine	999		44
"		53	"	Grains	—		50
"		79.80	"	Ingots	900	79	80
30		1.27	"	Fine	999	1	40
"		81	"	Grains	—		80
"		29	"	Fine	999		31
"		51.90	"	Ingots	999	51	90
						719	77

Melter & Refiner for Silver Assay Slips. Ex.

1881 Nov 1	By 719.77 Ozs. Std.	Ozs Std 719 77

Dr. The Assayer in account with the

1881						Ozs	Sd
Nov. 1	To	719.77	Ozs.	Sd.		719	77
16	"	120.60	"	Ingots	900	120	60
"		.81	"	Grains	—		88
"		541	"	Fine	999		60
28		.98	"	Fine	999	1	08
"		.62	"	Grs.	—		62
"		63.30	"	Ingots	900	63	30
30		.37	"	Grs.	—		37
"		1.21	"	Fine	—	1	33
						908	55

Melter & Refiner for Silver Assay Slips. Ex.

					Ozs	Sd.
1881						
Nov. 16	By	637.00 Oz. Std	Returned to M.&R.		637	00
Dec 1	"	271.55 "	"		271	55
					908	55

Dr. The Assayer in account with the

1881							Ozs	Sds
Dec	1	To	271.55	Ozs	Std	on hand	271	55
	17	"	138.60	"		Ingots 900	138	60
	"	"	.98	"		Grs —		95
	27	"	41.00	"		Ingots 900	41	00
	"	"	4.86	"		Fine 998	5	40
	"	"	.29	"		Grs —		28
	29	"	28	"		" —		28
	"	"	20	"		Fine 998		21
							458	27

Melter & Refiner for Silver Assay Slip. Cr.

1882		Ozs Sd.
Jun 1	By 458.27 Ozs. Std	458 27

Dr. The Assayer in account with the

1882						Ozs	Std.
Jan 1	To	458.27	Ozs.	Std		458	27
14	"	103.50	"	Ingots	900	103	50
"	"	.62	"	Grs.	—		60
25		81.90	"	Ingots	900	81	90
"		1.09	"	Grs.	—	1	00
31		.68	"	Fine	999		74
"		.51	"	"	"		58
"		7.20	"	Ingots	900	7	20
"		.16	"	Grs.	—		16
						653	95

Melter & Refiner for Silver Assay Slips. Cr.

1882		Ozs Sd.
Feb 1	By 653.95 Oz. Std	653 95

Dr. The Assayer in account with the

1882					Std.
Feb. 1	To	653.95	Ozs. Sd.		653 95
17	"	72.00	" Ingots	900	72 00
"	"	1.00	" Grs.	—	96
28	"	30	" Fine	998	32
"	"	41.83	" Ingots	900	41 83
"		.15	" Grs	—	15
"		64	" Fine	998	70
					769 91

HO 17

Melter & Refiner for Silver Assay Slips. Cr.

1882			Ozs	Sd.
March 1	By	769.91 Ozs. Std.	769	91

Dr. The Assayer in account with the

1882						Std.	
March 1	To	769.91	Ozs.	Std.:		769	91
13	"	80.86	"	Ingots	900	81	86
"	"	83	"	Grs.			80
"	"	43	"	Fine			47
28	"	31.50	"	Ingots		31	50
"	"	20	"	"			20
"	"	60	"	Grs			56
"	"	63	"	Fine			69
						885	99

Melter & Refiner for Silver Assay Slip. Cr.

1882			Ozs Sd
April 1	By	885.99 Ozs Sd.	885 99

Dr. The Assayer in account with the

1882							Std.	
April 1	To	885.99	Ozs.	Std.			885	99
15	"	93.60	"	Ingots		900	93	60
"	"	.71	"	Grs.		—		68
"	"	.85	"	Fine				93
27	"	414.40	"	Ingots			414	40
"		1.08	"	Grs			1	00
"		.84	"	Fine				91
							1027	51

Melter & Refiner for Silver Assay Slips &c

					Ozs	Sd
1882						
May	1	By	1027.51	Ozs. Std.	1027	51

Dr. The Assayer in account with the

1882						Std.	
May 2	To	1027,51	Ozs	Sd.		1027	51
12		101,70	"	Ingots.	900	101	70
"		,57	"	Grs.	—		53
"		,30	"	Fine	—		32
19		415.00	"	Ingots		415	00
"		3.26	"	Fine		3	60
"		,73	"	Grs			70
31		27,00	"	Ingots		27	00
"		,38	"	Grs			35
"		1.85	"	Fine		2	04
"		12	"	Grs			11
						1208	86

Melter & Refiner for Silver Assay Slip. Cr

1882 June 1	By	1208.86	Ozs Std 1208 86

Dr. The Assayer in account with the

1882							Std	
June 1	To	1208.86	Ozs.	Std			1208	86
—	"	209.40	"	Bar from M&R (free gold)	999½		232	55
— 10	"	129.60	"	Ingots	900		129	60
"	"	.91	"	Grs. —	—			91
"	"	1.25	"	Fine	998		1	38
20	"	93.30	"	Ingots	900		93	30
"	"	1.78	"	Fine	998		1	97
"	"	58	"	Grs —	—			58
22	"	50	"	"	—			50
							1669	65

Melter & Refiner for Silver — Assay Slips. Cr.

1882							Std	
June 3	By	630.00	Ozs.	Std			630	00
6	"	95.50	"	Bar		995	105	58
	"	218.50	"			997	241	66
	"	158.30	"			993½	174	65
	"	82.60	"	G 1		992	91	04
	"	91.90	"	G 22		901½	92	05
	"	21.30	"	Gold bar		273	6	46
26	"	140.00	"	Ingot		900	140	00
"	"	119.60	"	Bar Gold	10	972½	129	23
"	"	13.60	"	" "	18	962	14	53
				(Chloride not reduced)				
							16 25	20

Dr. The Assayer in account with the

				Ozs. Std.
1882				
July 1	To.	165.60 Oz.	Ingot Gran	165 60
	"	.43 "	Grs.	40
	"	40 "	Fine bar	43
				16643

Melter & Refiner for Silver Assay Slips . Cr.

1882				
Aug	By	166.43 Ozs. Std	166	43

Dr. The Assayer in account with the

1882						
Aug	1	To	166.43	Ozs.	Sd	166 43
	11	"	64.00	"	Ingots	64 00
	"	"	.20	"	"	20
	"	"	1.12	"	Grains	1 10
	"	"	1.78	"	Fine	1 95
	23	"	65.40	"	Ingots	65 40
	"	"	.71	"	Grs	68
	"	"	1.50	"	Fine	1 63
	31	"	1.50	"	Ingots	1 50
	"	"	2.58	"	Fine	2 80
	"	"	.23	"	Grains	20
						305 89

Melter & Refiner for Silver Assay Slip. &c.

1882 Sept	By 305.89 Ozs.	Std 305 89

Dr. The Assayer in account with the

1882					Sld.	
Sept.	To	305.89	Ozs.	—	305	89
13	"	89.70	"	Ingots	89	70
"	"	.46	"	Fine		49
"	"	.73	"	Grs		70
25	"	91.80	"	Ingots	91	80
"	"	.30	"	Fine		32
"	"	1.141	"	Grs	1	08
30		28.20	"	Ingots	28	20
"		1.11	"	Fine	1	22
"		.35	"	Grs		33
					519	73

Melter & Refiner for Silver Assay Slips. Cr

1882			Std.
Oct 1	By 519.73 Ozs		519 73

Dr. The Assayer in account with the

1882						
October 1	To	519.73	Oz	Std.	519	73
11	"	108.60	"	Ingots	108	60
"	"	1.02	"	Grs	1	00
"	"	.41	"	Fine		41
"	"	75.60	"	Ingots	75	60
20	"	.87	"	Grs		83
"	"	.56	"	Fine		60
31	"	19.20	"	Ingots	19	20
"	"	.77	"	Fine		83
					726	86

Melter & Refiner for Silver Assay Slips. — Cr.

1882			Std.
Nov 1	By 726.86 Ozs. Sd.		726 86

Dr. The Assayer in account with the

1882.						
Novem. 1	To	726.86	Ozs.	Std.	726	86
14	"	94.80	"	Ingots	94	80
"	"	1.05	"	Grs.	1	00
"	"	.25	"	Fine		27
24	"	80.40	"	Ingots	80	40
"	"	.65	"	Grs		62
"	"	.48	"	"		45
"	"	1.14	"	Fine	1	24
29	"	29.10	"	Ingots	29	10
"		.37	"	Grs		34
					935	08

Melter & Refiner for Silver Assay Slips. Cr.

1882			Ozs. Sds.
Dec 1	By	935.08 Ozs.	935 08

Dr. The Assayer in account with the

1882								
Decr 1	To	935.08	Ozs.	Std.			935	08
11	"	79.20	"	Ingots		900	79	20
"	"	1.23	"	Grains			1	20
"	"	.30	"	Fine bars				33
22	"	92.40	"	Ingots			92	40
"	"	.75	"	Grains				70
"	"	.58	"	Fine				62
30	"	9.00	"	Ingots			9	00
"	"	1.74	"	Grains		998	1	90
"	"	.29	"	Grs.				26
							1120	69

Melter & Refiner for Silver Assay Slip Cr.

1883 Jan 1	By 1120.69 Ozs Sd	"	Sld 1120 69

Dr. The Assayer in account with the

1883					Std Oz
January 1	To	1120.69	Ozs	Std.	1120 69
12	"	96.00	"	Ingots	96 00
"	"	.81	"	Grs.	80
"	"	.64	"	Fine	67
23	"	75.60	"	Ingots	75 60
"	"	.69	"	Fine	73
31	"	415.20	"	Ingots	415 20
"	"	1.04	"	Grains	1 00
"	"	1.01	"	Fine	1 10
					1341 79

Melter & Refiner for Silver Assay Slip. Cr.

				Ozs	Sd.
1883					
January 8	By	717.00 Ozs.	Sld Slip. Returned	717	00
Feb'y 1		624.79 "	"	624	79
				1341	79

The Mint of the United States,

AT

PHILADELPHIA, PENN.,

Assay Department, Jan 8, 1883.

Silver Ingot Granulation
returned to Melter & Refiner
717.00 Oz Std.

R B Boyd
Asst Assayer

Dr. The Assayer in account with the

1883					Ozs.	Sd.
Feby	1	To	624.79	Ozs. Sld.	624	79
	12	"	78.00	" Ingots	78	00
	"	"	.70	" Fine		76
	"	"	.38	" Grs.		35
	28	"	63.60	" Ingots	63	60
	"	"	1.73	" Fine	1	90
	"	"	.70	" Grs.		67
					770	07

Melter & Refiner for Silver Assay Slips. &c.

1883			Ozs.	Sd.
March 1	By	770.07 Ozs. Sld.	770	07

Dr. The Assayer in account with the

1883					Ozs.	Sd
March 1	To	770.07.	Ozs.	Sld.	770	07
10	"	51,60	"	Ingots	51	60
"	"	1.39	"	Fine	1	52
"	"	1.17	"	Grains	1	12
24	"	74.00	"	Ingots	74	00
"	"	.60	"	Fine		65
"	"	.55	"	Grs.		52
29	"	21,60	"	Ingots	21	60
"		.66	"	Fine		73
"		.62	"	Grs.		60
					922	41

Melter & Refiner for Silver Assay Slips- Cr.

1883		Ozs.	Sd.
April 1	By 922.41 Ozs. Std.	922	41

Dr. The Assayer in account with the

1883					Ozs. Std
April 1	To.	922.41	Ozs.	Std.	922 41
11	"	78.60	"	Ingots	78 60
"	"	.76	"	Grs.	73
"	"	1.15	"	Fine	1 26
20	"	56.00	"	Ingots	56 00
"	"	1.70	"	Fine	1 86
"	"	.44	"	Grs.	40
30	"	29.70	"	Ingots	29 70
"	"	1.02	"	Grs	1 00
"		1.04	"	Fine	1 14
					1093 10

Melter & Refiner for Silver Assay Slip. Cr.

1883 May 1	By 10.93.10 Ozs. Sd	Stand. 1093 10

Dr. The Assayer in account with

1883						Ozs	Sd.
May 1	To	1093.10	Ozs.	Sld		1093.	10
11	"	71.10	"	Ingots	900	71	10
"	"	.48	"	Grs.	—		45
21	"	52.20	"	Ingots	900	52	20
"	"	1.00	"	Grs.	—		95
"	"	1.60	"	Fine	999	1	75
31	"	49.50	"	Ingots	900	49	50
"	"	83	"	Grs.	—		80
"		1.79	"	Fine	999	1	98
						1271	83

the Melter & Refiner for Silver Assay Slips. Co

1883						
May 22	By	481.00	Oz	Gran. returned	481	00
June 1	"	790.83	"	Std	790	83
					1271	83

Dr. The Assayer in account with the

1883						Ozs. Std.
June 1	To	790.83	Ozs. Std.			790 83
11	"	116.10	"	" Ingots	900	116 10
"	"	.54	"	Grs.	—	52
"	"	1.39	"	Fine	999	1 54
15	"	54.00	"	Ingots	900	54 00
"	"	.45	"	Grs.	—	43
"	"	1.89	"	Fine	998	2 10
19	"	61.20	"	Ingots	900	61 20
"	"	.89	"	Fine	999	96
27	"	28.80	"	Ingots	900	28 80
"	"	1.73	"	Fine	—	1 90
"	"	1.35	"	Grs	—	1 30
	"	280.00	"	Bar from M.&R	999½	311 10
		12.27	"	Stand excess		12 27
						1383 06

Melter & Refiner for Silver Assay Slip. Cr.

1883					Std Ozs.
June 15	By	288.60 Oz Bar (Gold 002)	991		317 78
	"	146.85 " "	996		162 51
	"	56.75 " "	988½		62 33
	"	137.70 " "	996		152 38
	"	26.75 " "	996½		29 61
	"	126.75 " "	999		140 69
	"	13.40 " "	751		11 17
	"	3.45 " "	683		2 61
16	"	87.65 " " (Gold 011)	911½		86 76
30	"	215.00 " Ingots	900		215 00
"	"	110.60 " Bar	996½		122 45
"	"	70.00 " Fine proof	1000		77 77
					1383 06

1002

24

3 | 974

324

334

9

325

1383.06

1370.79

12.27

1370.79

12.27

1383.06

Mr & Mrs. Lucas

340 10
347 91 to 200
335-9

April 2 1853

Dr. The Assayer in account with the

1883						$ to Oz	
July 1	To	70.00	Oz.	Silver proof	1000	77	77
	"	128 40	"	Ingots	900	128	40
	"	.60	"	Grains			57
						206	74

Melter & Refiner for Silver Assay Slip. Cr

			Ozs	Sd.
Aug 1883				
"	1	By 206.74 Ozs Sld	206	74

Dr. The Assayer in account with the

1883					Ozs	Sd.
August 1	To	206.74	Ozs.	Std.	206	74
14	"	78 40	"	Ingots	78	40
"	"	1.05	"	Grains	1	00
"	"	1.05	"	Fine	1	15
"	"	.40	"	Stg. Bars.		41
25	"	86.40	"	Ingots	86	40
"	"	.94	"	Grain		90
"	"	1.18	"	Fine	1	28
"	"	.30	"	"		32
31	"	48.60	"	Ingots	48	60
"		56	"	Fine		60
					425	80

Melter & Refiner for Silver Assay Slip. — Cr.

1883		Oz. Sld
Sept 1	By 125.80 Ozs. Sd.	125 80

Dr. The Astayer in account with the

1883					Ozs	Sd.
Septr 1	To	425.80	Ozs.	Sd.	425	80
13	"	81.00	"	Ingots	81	00
"	"	1.57	"	Grs.	1	50
"	"	.52	"	Fine		54
25	"	70.20	"	Ingots	70	20
"	"	1.47	"	Grains	1	40
"	"	96	"	Fine	1	05
29	"	35.10	"	Ingots	35	10
"	"	.73	"	Grs		70
					617	29

Melter & Refiner for Silver Assay Slips. Cr.

1883		Ozs	Sd
Oct 1	By 617.29 Ozs Std	617	29

Dr. The Assayer in account with the

1883					Ozs.	Pct
Oct 1	To	617.29	Ozs	Std	617	29
22	"	83.70	"	Ingots	83	70
"	"	1.10	"	Fine	1	20
"	"	1.70	"	Grains	1	60
25	"	102.00	"	Ingots	102	00
"	"	.76	"	"		76
"	"	3.01	"	"	3	01
"	"	51	"	Ors		50
31	"	31.50	"	Ingots	31	50
"		1 Qr	"	Fine	1	00
					842	56

Melter & Refiner for Silver Assay Slip. Cr.

		Oz.	Sld.
1883			
Nov 1	By 842.56 Ozs. Sld	842	56

Dr The Assayer in account with the

1883					Ozs	Sd
Nov 1	To	842.56	Ozs.	Sld	842	56
13	"	77.40	"	Ingots	77	40
"	"	1.42	"	Grs	1	40
22	"	85.80	"	Ingots	85	80
"	"	2.10	"	Fine	2	30
"	"	.83	"	Grs		80
30	"	49.50	"	Ingots	49	50
"	"	55	"	Fine		60
"	"	59	"	Grs		56
					1060	92

Melter & Refiner for Silver Assay Slips. Cr.

			Ozs	Sd
1883				
Dec 1	By	1060.92 Ozs Sd.	1060	92

Dr. The Assayer in account with the

1883					
Dec 1	To	1060.92	Ozs Sld		1060 92
8	"	69.60	"	Ingots	69 60
4	"	.59	"	"	59
"	"	.59	"	Grs	56
20	"	81	"	"	78
"	"	1.13	"	T. bars	1 23
24	"	127.80	"	Ingots.	127 80
31	"	.31	"	Grs	29
"	"	.48	"	T. bar	51
"	"	28.80	"	Ingots	28 80
"	"	224.70	"	Fine fm M & R.	219 56
					1540 64

Melter & Refiner for Silver Assay Slips. Cr.

1883			Ozs	Sd
Dec 10	By	727.50 Ozs. Sd. delivered to M & R	727	50
Jan 1	"	913.14 " " bal.	913	14
			1540	64

Dr. The Assayer in account with the

1884				Oz.	Sd.
January 1	To	913.14 Oz	Std	913	14
15	"	2.25	" Grs.	2	15
"	"	2.83	" T. bars.	3	10
4	"	84.60	" Ingots	84	60
4	"	1.20	" Sterling bars.	1	23
31	"	121.80	" Ingots	121	80
				1126	02

Melter & Refiner for Silver Assay Slip. Co

1884 Feb. 1	By 1126.02 Ozs Sd.		Ozs Sd 1126 02

Dr. The Assayer in account with the

1884					Oz	Sd.
February 1	To	1126.02	Ozs.	Sd.	1126	02
15	"	138.30	"	Ingots	138	30
29	"	76.50	"	"	76	50
"	"	80	"	Bar		87
"		3.19	"	T. bar	3	50
"		1.63	"	Grs	1	53
					1346	72

Melter & Refiner for Silver Assay Slip. Cr.

1884			Oz. Sd.
March 1	By	1346.72 Ozs Sd.	1346.72

Dr. The Assayer in account with the

1884				Ozs.	Std.
March 1	To	1346.72	Ozs. Sd.	1346	72
	"	4.30	" T. bars	4	70
	"	2.78	" Grs.	2	70
15	"	112.50	" Ingots	112	50
31		80.10	" "	80	10
		.55	" T bars		60
				1547	32

Melter & Refiner for Silver Assay Slip Cr.

1884			Oz Sd.
April 1	By	1547.32 Ozs Sd	1547 32

Dr. The Assayer in account with the

1884				Oz. Sd
April 1	To	1547.32	Ozs. Sd.	1547 32
16	"	78.00	" Ingots	78 00
29	"	107.10	" "	107 10
"	"	.85	" Fine	83
"	"	2.13	" Grains	2 00
"	"	2.05	" J. Bar	2 26
				1737 51

Melter & Refiner for Silver Assay Slip. Cr.

1884			Oz Sd.
May 1	By	1737.51 Ozs Sd.	1737 51

Dr. The Assayer in account with the

1884					Ozs. Sd
May 1	To	1737.51	Ozs.	Std.	1737 51
15		2.27	"	Grs.	2 20
"		3.67	"	T. bars	4 00
"		115.90	"	Ingots	115 90
"		1.70	"	Fine	1 87
"		148.50	"	Ingots	148 50
					2009 98

Melter & Refiner for Silver Assay Slip. Cr.

			Ozs	Sd.
1884				
May 10	By	715.50 Ozs. Sld. Returned	715	50
		1294.48 " "	1294	48
			2009	98

Dr. The Assayer in account with the

1884					Oz	Sd
June 1	To	1294.48	Oz	Sd	1294	48
16	"	132.00	"	Ingots	132	00
23		105.00	"	"	105	00
		2.11	"	Grs	2	00
		3.63	"	Fine	4	00
					1537	48
				Excess	8	24
					1545	72

Melter & Refiner for Silver Assay Slip. Co

1884							Oz	Sd
June 6	By	290.00	Ozs @	999	Returned		321	90
"	"	113.00	"	995	"		124	92
"	"	138.90	"	992½	"		153	17
10	"	81.35	"	989	"		89	39
5	"	65.20	"	988	"		71	5
"	"	58.85	"	994½	"		65	02
12	"	61.85	"	901½	"		61	94
"	"	34.48	"	647	"		24	78
"	"	10.90	"	255	"		8	03
" 25	"	330.00	"	Fine 900			336	00
"	"	180.00	"	Pure on hand			200	00
"	"	100.00	"	On hand in Sol. & Chlor.		Sd.	100	00
							1545	72

Dr. The Assayer in account with the

1884							Ozs	Sd.
July 1	To	180.00	Ozs.	Fine	1000		200	00
30	"	.98	"	Grs	—		—	90
"	"	.63	"	Fine	999			69
							201	59
July 30	"	151.20	"	Ingots	900		151	20
							352	79

Melter & Refiner for Silver Assay Sept. Cr.

1884			Ozs Sd
Aug 1	By	352.79 Ozs. Sd.	352 79

Dr. The Assayer in account with the

1884						Ozs	Sd.
Aug 1	To	352.79	Ozs			352	79
16	"	122.40	"	Ingots	9ct	122	40
30	"	97.20	"	"	"	97	20
"		.48	"	Fine	998		48
29		2.28	"	Grs. —	—	2	20
"		1.44	"	Fine	998	1	58
						576	65

Melter & Refiner for Silver Assay Slip. Cr.

1884			Oz. Sd.
Sept 1	By	576.65 Ozs Sd.	576 65

Dr. The Assayer in account with the

1884						Oz.	Sd.
Septr. 1	To.	576.65	Ozs.	Sld		576	65
15	"	108.90	"	Ingots		108	90
30	"	142.80	"	"		142	80
"	"	3.30	"	Fine	999	3	64
"	"	1.57	"	Grs.	—	1	45
"	"	1.94	"	bars	925	1	98
						835	42

Melter & Refiner for Silver Assay Slips. Cr.

1884			Oz Sd
Oct 1	By	835.42 Ozs Sd.	835 42

Dr. The Assayer in account with the

1884							St	Oz
October 1	To	835.42	Ozs	Sd.			835	42
31	"	2.69	"	Grs.	—		2	57
"	"	1.39	"	Bars.	998	"	1	52
"	"	.40	"	Fine	"			44
"	"	.40	"	Bars	925			41
15	"	117.60	"	Ingots			117	60
31		148.20	"	"			148	20
							1106	16

Melter & Refiner for Silver Assay Slip. Cr.

			Oz	Sd.
1884 Novr. 1	By	1106.16 Ozs. Sd.	1106	16

Dr. The Assayer in account with the

1884						Ozs	Sd
November 1	To	1106.16	Ozs	Sd.		1106	16
18	"	151.80	"	Ingots	9 cr	151	80
29	"	97.20	"	"	"	97	20
"		1.67	"	Grs.		1	67
"		1.60	"	Fine	—	1	76
						1358	49

Melters & Refiner for Silver Assay Slip Cr.

1884				Ozs	Sd
Nov 11	By	667.40 Ozs.	Ingots returned	667	40
Dec. 1	"	691.09 "	Std. on hand	691	09
				1358	49

Dr. The Assayer in account with the

1884					Oz	Sd
Decr. 1	To	691.09	Ozs.	Std	691	09
"	"	2.15	"	Grains	2	00
"	"	4.67	"	Fine	5	17
13	"	120.00	"	Ingots	120	00
31	"	120.00	"	"	120	00
"	"	1.25	"	Fine	1	37
					939	63

Melter & Refiner for Silver Assay Slip. Cr.

1885			Oz Sd.
Jan 1	By	939.63 Ozs. Sd	939 63

Dr. The Assayer in account with the

1885				Ozs.	d
Jan 1	To	939.63	Ozs. Sld	939	63
14	"	130.73	" Ingots	130	73
30	"	110.40	" "	110	40
31	"	1.70	; Fine	1	87
"	"	1.20	" Sterling	1	23
				1183	86

Melter & Refiner for Silver Assay Slips. &c.

			Oz.	Sd.
1885				
Feb. 1	By	1183.83 Ozs. Std	1183	86

Dr. The Assayer in account with the

1885				On Std
Feby 1	To	1183.86	Ozs. Std	1183 86
27	"	127.50	" Ingots	127 50
	"	1.39	" Grs	1 30
		1.25	" Fine	1 37
				1314 03

Melter & Refiner for Silver Assay Slip. Cr.

1885 March 1	By	1314.03 Oz. S. Std.	Oz. Std 1814 03

Dr. The Assayer in account with the

1885					Oz. Sd
March 1	To	1314.03	Ozs	Sd.	1314 03
" 17	"	141.80	"	Ingots	141 80
31	"	109.80	"	"	109 80
	"	2.08	"	Grs.	2 00
		2.44	"	Fine	2 68
					1570 31

Melter & Refiner for Silver Assay Slip. Cr.

1885		Oz.	Cts.
March 2	By 532.00 Ozs. Std. Ingots returned	532	00
April 1	" 1038.31 " " on hand	1038	31
		1570	31

Dr. The Assayer in account with the

1885					Oz	Sd
April 1	To	1038.31	Ozs	Sd:	1038	31
16	"	141.30	"	Ingots	141	30
30	"	109.50	"	"	109	50
"		1.90	"	Fine	2	00
"		1.50	"	Grs	1	40
		40	"	Slg		41
					1292	92

Melter & Refiner for Silver Assay Slip. Cr.

1895			Ozs	Sd
May 1	By	1292.92 Ozs. Sld	1292	92

Dr. The Assayer in account with the

1885					Oz.	Sd
May 1	To	1292.92	Ozs.	Std	1292	92
	"	138.30	"	Ingots	138	30
31	"	112.50	"	"	112	50
"	"	1.25	"	Fine	1	37
"	"	1.14	"	Grs	1	08
"		.80	"	Stg.		82
					1546	99

Melter & Refiner for Silver Assay Slip. Cr.

				Ozs Sd
1885				
June 1	By	1546.99	Ozs Std	1546 99

Dr. The Assayer in account with the

1885					Oz. Sd
June 1	To	1546.99	Ozs. Sld		1546 99
	"	198.00	" Ingots	900	198 00
18	"	42.00	" "	"	42 00
"	"	3.18	" Fine	999	3 52
"	"	2.41	" Grs	—	2 41
"		40	" Stg.		42
					1793 34
			Stand excess		98 11
					1891 45

Melter & Refiner for Silver Assay Slip Cr.

1885						Oz	Sd
June 11	By	662.00	Ozs	Std returned		662	00
19	"	49.80	"	951	x Gold 9	52	62
	"	140.35	"	997		155	47
	"	81.40	"	994½		89	94
	"	301.45	"	999		334	59
	"	70.70	"	877	x Gold 7½	68	89
June 29	"	122.00	"	Fine	1000	135	55
		205.00	"		979½	223	10
		85.00	"		900	85	00
		57.00	"	"	1000	63	33
		8.95	"		627	6	09
		13.90	"		684	10	56
		41.40	"		883	41	31
						1891	45

Dr. The Assayer in account with the

						Oz. 860
1885						
July 1	To	122.00	Ozs	Fine Proof	1000	135 55
		57.00	"	" Grain	"	63 33
				From Melter & Refiner		198 88
6	To	181.80	Oz	Ingots	900	181 80
31	"	154.80	"	"	900	154 80
	"	.40	"	Fine	999	43
		1.59	"	Grs	—	1 56
		.75	"	Fine	999	82
		.45	"	"	"	48
						538 77

Melter & Refiner for Silver Assay Slip. Cr.

			Oz	Sd.
1885 Aug 1	By	538.77 Ozs. Std	538	77

Dr. The Assayer in account with the

1885							Oz.	Sd.
August 1	To	538.77	Ozs.	Sd.			538	77
	"	1.57	"	Grs.			1	50
	"	1.08	"	Fine	999		1	20
	"	.50	"	Grs				47
	"	.70	"	Fine	997			76
18	"	167.40	"	Ingots	900		167	40
31		113.40	"	"	"		113	40
		80	"	Fine	999			87
							824	37

Melter & Refiner for Silver Assay Slip Cr.

1885 Sept 1	By 824.37 Oz Ingots	Oz.	Sd.
		824	37

Dr. The Assayer in account with the

1885					Oz.	Sd.
Sept. 1	To	824.37	Ozs. Std		824	37
15	"	158.90	" Ingot	900	158	90
30		228.70	"	"	228	70
"		2.62	" Fine	999	2	87
		2.29	" Grain	—	2	20
		40	" Stg. bars	925		41
					1217	45

Melter & Refiner for Silver Assay Slip. Co.

			Oz Sd.
1885			
Oct. 1	By	1217.45 Ozs. Sd.	1217 45

Dr. The Assayer in account with the

1885						Oz.	Sd.
October 1	To	1217.45	Ozs.	Std		1217	45
31	"	1.19	"	Grs	—	1	15
"	"	17	"	"	—		16
"	"	62	"	"	—		58
"	"	64	"	"	—		60
"	"	1.69	"	Fine	—	1	84
16	"	155.70	"	Ingots	900	155	70
30		146.50	"	"	"	146	50
						1523	98

Melter & Refiner for Silver Assay Slip. Cr.

					Oz	Sd.
1885						
October 22	By	850.00	Oz	Std. Ingot returned	850	00
Nov 1	"	673.98	"	"	673	98
					1523	98

Dr. The Assayer in account with the

1885					Oz.	Sd.
Novr. 1	To	673.98	Ozs. Sd.		673	98
17		181.80	" Ingots	900	181	80
30		115.20	" "	"	115	20
		3.47	" Grains	—	3	40
		2.39	" Fine	998	2	63
					977	01

Meller & Refiner for Silver Assay Rep. Or.

1885 Dec 1	By	977.01 Oz. Std.	Oz. Sd. 977 01

Dr. The Assayer in account with the

1885						Oz.	Sd.
Decr. 1	To	977.01	Oz.	Std.		977	01
31	"	2.29	"	Grs.		2	24
"	"	1.08	"	"		1	04
"	"	.83	"	Fine	998		91
"	"	189.00	"	Ingots	900	189	00
"		129.60	"	"	"	129	60
						1299	80

Melter & Refiner for Silver Assay Slip. Cr.

1886				Oz Sd.
~~Dec~~	1	By 1299.80 Ozs. Std		1299 80
Jan.				

Dr. The Assayer in account with the

1886							Oz	Sd
Jan 1	To	1299.80	Ozs.	Std			1299	80
16	"	189.00	"	Ingots	900		189	00
1	"	50	"	Fine	999			54
"	"	20	"	Fine Stamp.	"			21
"	"	86	"	Grs -	—			82
"	"	86	"	"	—			76
30	"	88	"	"	—			80
"		43	"	Fine	999			47
"		122.40	"	Ingots	900		122	40
							1614	80

Melter & Refiner for Silver Assay Slip Or.

1886 Feby 1	By	1614.80 Ozs.	Oz Sd 1614 80

Dr. The Assayer in account with the

1886						Oz	Sd.
Feby 1	To	1614.80	Ozs.	Std.		1614	80
10	"	40	"	Fine	999		44
"	"	94	"	Grs. —	—		90
10	"	1.60	"	Fine (purchase)	999	1	77
13	"	32	"	"	"		35
24		1.11	"	Grs. —		1	05
17		162.00	"	Ingots	900	162	00
15		27.00	"	"	"	27	00
27		147.60		"	"	147	60
						1955	91

Melter & Refiner for Silver Assay Slip. Cr.

1886			Oz Sd
March 1	By 1955.91 Ozs. Sd.		1955 91

Dr. The Assayer in account with the

1886							Oz Sd
March 1	To	1955.91	Oz. Sd.				1955 91
1-15	"	189.00	"	Ingots	900		189 00
31	"	132.30	"	"	"		132 30
1-18	"	1.22	"	Grs			1 19
"	"	1.16	"	Fine	999		1 28
"	"	.20	"	Fine (Purchase)	996		21
30	"	75	"	Grs.	—		70
"	"	.53	"	Fine	999		58
							2281 17

Melter & Refiner for Silver Assay Slip. Ozs.

1886			Oz	Sd.
March 1	By	967.50 Ozs. Silver Ingots returned gds	967	50
April 1	"	1313.67 " Std on hand	1313	67
			2281	17

Dr. The Assayer in account with the

						Oz	Sd
1886 April 1	To.	1313.67	Oz.	Std on hand.		1313	67
"		2.26	"	Grs. —			2 18
"		1.09	"	Fine	998		1 20
		35	"	Fine (Pur)	999		38
		166.50	"	Ingots	900	166	50
		135.00	"	"	"	135	00
						1618	93

Melter & Refiner for Silver Assay Hsp. Cr.

1886			Oz Sd.
May 1	By	1618.93 Ozs. Sd.	1618 93